

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Styrene .040"

This is a .040" (about 3/64" thick) white plastic sheet coated on one side with Cold-Mount® permanent pressure sensitive adhesive. This is a very smooth board. It is not hydroscopic and is not affected by changes in moisture. Changes in humidity will not cause warping.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
ST4-0405	4x5	0.17	0.16	0.15	0.14	0.13
ST4-0507	5x7	0.30	0.26	0.25	0.24	0.23
ST4-0810	8x10	0.68	0.60	0.55	0.52	0.51
ST4-0812	8x12	0.81	0.73	0.66	0.63	0.61
ST4-08511	8.5x11	0.79	0.71	0.65	0.61	0.60
ST4-1013	10x13	1.10	0.98	0.90	0.85	0.83
ST4-1114	11x14	1.30	1.16	1.06	1.00	0.98
ST4-1117	11x17	1.58	1.41	1.29	1.22	1.19
ST4-1218	12x18	1.83	1.63	1.49	1.41	1.38
ST4-1620	16x20	2.71	2.42	2.21	2.08	2.04
ST4-1624	16x24	3.25	2.90	2.65	2.50	2.45
ST4-2024	20x24	4.06	3.65	3.30	3.15	3.05
ST4-2030	20x30	5.10	4.55	4.15	3.95	3.85
ST4-2228	22x28	5.25	4.65	4.25	4.00	3.95
ST4-2430	24x30	6.10	5.45	4.98	4.70	4.60
ST4-2436	24x36	7.30	6.55	5.95	5.65	5.50
ST4-3040	30x40	10.15	9.05	8.30	7.85	7.65

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Styrene .080"

This white plastic mount is .080" (just under 3/32") thick. It is more rigid than the thinner .040" thick styrene boards.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
ST8-0405	4x5	0.27	0.24	0.22	0.21	0.20
ST8-0507	5x7	0.46	0.41	0.38	0.36	0.35
ST8-0810	8x10	1.06	0.95	0.86	0.81	0.79
ST8-0812	8x12	1.26	1.12	1.05	0.98	0.95
ST8-08511	8.5x11	1.22	1.09	0.99	0.94	0.92
ST8-1013	10x13	1.76	1.57	1.44	1.35	1.33
ST8-1114	11x14	2.02	1.80	1.65	1.56	1.52
ST8-1117	11x17	2.44	2.18	1.99	1.88	1.84
ST8-1218	12x18	2.82	2.52	2.30	2.17	2.13
ST8-1620	16x20	4.18	3.75	3.41	3.22	3.15
ST8-1624	16x24	5.02	4.50	4.10	3.90	3.80
ST8-2024	20x24	6.30	5.65	5.15	4.85	4.75
ST8-2030	20x30	7.85	7.00	6.40	6.05	5.95
ST8-2228	22x28	8.10	7.25	6.65	6.25	6.10
ST8-2430	24x30	9.42	8.40	7.70	7.25	7.10
ST8-2436	24x36	11.30	10.10	9.25	8.75	8.55
ST8-3040	30x40	15.70	14.10	12.80	12.10	11.85

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Black Styrene .040"

This is a .040" (about 3/64" thick) black plastic sheet coated on one side with Cold-Mount® permanent pressure sensitive adhesive. This is a very smooth board. It is not hygroscopic and is not affected by changes in moisture. Changes in humidity will not cause warping.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
STB4-0405	4x5	0.20	0.18	0.17	0.15	0.15
STB4-0507	5x7	0.37	0.33	0.30	0.29	0.28
STB4-0810	8x10	1.09	0.97	0.89	0.84	0.82
STB4-1114	11x14	1.53	1.36	1.25	1.18	1.15
STB4-1620	16x20	3.38	3.02	2.76	2.60	2.55
STB4-2024	20x24	5.02	4.47	4.10	3.85	3.78
STB4-2436	24x36	7.90	7.10	6.45	6.20	5.95

Pressure Sensitive Adhesive Coated

Black Styrene .080"

This black plastic mount is .080" (just under 3/32") thick. It is more rigid than the thinner .040" thick styrene boards.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
STB8-0405	4x5	0.30	0.25	0.24	0.23	0.22
STB8-0507	5x7	0.50	0.45	0.42	0.40	0.39
STB8-0810	8x10	1.15	1.05	0.95	0.90	0.85
STB8-0812	8x12	1.35	1.20	1.15	1.05	1.03
STB8-08511	8.5x11	1.35	1.20	1.10	1.05	1.00
STB8-1013	10x13	1.90	1.70	1.55	1.45	1.44
STB8-1114	11x14	2.20	1.95	1.80	1.70	1.65
STB8-1117	11x17	2.65	2.35	2.15	2.05	2.00
STB8-1218	12x18	3.00	2.75	2.50	2.35	2.30
STB8-1620	16x20	4.50	4.05	3.70	3.50	3.40
STB8-1624	16x24	5.45	4.85	4.45	4.25	4.10
STB8-2024	20x24	6.80	6.10	5.55	5.25	5.15
STB8-2030	20x30	8.50	7.55	6.90	6.50	6.45
STB8-2228	22x28	8.75	7.85	7.25	6.75	6.60
STB8-2430	24x30	10.20	9.10	8.35	7.85	7.70
STB8-2436	24x36	12.25	10.90	10.00	9.45	9.25
STB8-3040	30x40	16.95	15.25	13.85	13.10	12.80

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com