

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Styrene .040"

This is a .040" (about 3/64" thick) white plastic sheet coated on one side with Cold-Mount® permanent pressure sensitive adhesive. This is a very smooth board. It is not hydroscopic and is not affected by changes in moisture. Changes in humidity will not cause warping.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
ST4-0405	4x5	0.17	0.16	0.15	0.14	0.13
ST4-0507	5x7	0.30	0.26	0.25	0.24	0.23
ST4-0810	8x10	0.68	0.60	0.55	0.52	0.51
ST4-0812	8x12	0.81	0.73	0.66	0.63	0.61
ST4-08511	8.5x11	0.79	0.71	0.65	0.61	0.60
ST4-1013	10x13	1.10	0.98	0.90	0.85	0.83
ST4-1114	11x14	1.30	1.16	1.06	1.00	0.98
ST4-1117	11x17	1.58	1.41	1.29	1.22	1.19
ST4-1218	12x18	1.83	1.63	1.49	1.41	1.38
ST4-1620	16x20	2.71	2.42	2.21	2.08	2.04
ST4-1624	16x24	3.25	2.90	2.65	2.50	2.45
ST4-2024	20x24	4.06	3.65	3.30	3.15	3.05
ST4-2030	20x30	5.10	4.55	4.15	3.95	3.85
ST4-2228	22x28	5.25	4.65	4.25	4.00	3.95
ST4-2430	24x30	6.10	5.45	4.98	4.70	4.60
ST4-2436	24x36	7.30	6.55	5.95	5.65	5.50
ST4-3040	30x40	10.15	9.05	8.30	7.85	7.65

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Styrene .080"

This white plastic mount is .080" (just under 3/32") thick. It is more rigid than the thinner .040" thick styrene boards.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
ST8-0405	4x5	0.27	0.24	0.22	0.21	0.20
ST8-0507	5x7	0.46	0.41	0.38	0.36	0.35
ST8-0810	8x10	1.06	0.95	0.86	0.81	0.79
ST8-0812	8x12	1.26	1.12	1.05	0.98	0.95
ST8-08511	8.5x11	1.22	1.09	0.99	0.94	0.92
ST8-1013	10x13	1.76	1.57	1.44	1.35	1.33
ST8-1114	11x14	2.02	1.80	1.65	1.56	1.52
ST8-1117	11x17	2.44	2.18	1.99	1.88	1.84
ST8-1218	12x18	2.82	2.52	2.30	2.17	2.13
ST8-1620	16x20	4.18	3.75	3.41	3.22	3.15
ST8-1624	16x24	5.02	4.50	4.10	3.90	3.80
ST8-2024	20x24	6.30	5.65	5.15	4.85	4.75
ST8-2030	20x30	7.85	7.00	6.40	6.05	5.95
ST8-2228	22x28	8.10	7.25	6.65	6.25	6.10
ST8-2430	24x30	9.42	8.40	7.70	7.25	7.10
ST8-2436	24x36	11.30	10.10	9.25	8.75	8.55
ST8-3040	30x40	15.70	14.10	12.80	12.10	11.85

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Black Styrene .040"

This is a .040" (about 3/64" thick) black plastic sheet coated on one side with Cold-Mount® permanent pressure sensitive adhesive. This is a very smooth board. It is not hydroscopic and is not affected by changes in moisture. Changes in humidity will not cause warping.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
STB4-0405	4x5	0.20	0.18	0.17	0.15	0.15
STB4-0507	5x7	0.37	0.33	0.30	0.29	0.28
STB4-0810	8x10	1.09	0.97	0.89	0.84	0.82
STB4-1114	11x14	1.53	1.36	1.25	1.18	1.15
STB4-1620	16x20	3.38	3.02	2.76	2.60	2.55
STB4-2024	20x24	5.02	4.47	4.10	3.85	3.78
STB4-2436	24x36	7.90	7.10	6.45	6.20	5.95

Pressure Sensitive Adhesive Coated

Black Styrene .080"

This black plastic mount is .080" (just under 3/32") thick. It is more rigid than the thinner .040" thick styrene boards.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
STB8-0405	4x5	0.30	0.25	0.24	0.23	0.22
STB8-0507	5x7	0.50	0.45	0.42	0.40	0.39
STB8-0810	8x10	1.15	1.05	0.95	0.90	0.85
STB8-0812	8x12	1.35	1.20	1.15	1.05	1.03
STB8-08511	8.5x11	1.35	1.20	1.10	1.05	1.00
STB8-1013	10x13	1.90	1.70	1.55	1.45	1.44
STB8-1114	11x14	2.20	1.95	1.80	1.70	1.65
STB8-1117	11x17	2.65	2.35	2.15	2.05	2.00
STB8-1218	12x18	3.00	2.75	2.50	2.35	2.30
STB8-1620	16x20	4.50	4.05	3.70	3.50	3.40
STB8-1624	16x24	5.45	4.85	4.45	4.25	4.10
STB8-2024	20x24	6.80	6.10	5.55	5.25	5.15
STB8-2030	20x30	8.50	7.55	6.90	6.50	6.45
STB8-2228	22x28	8.75	7.85	7.25	6.75	6.60
STB8-2430	24x30	10.20	9.10	8.35	7.85	7.70
STB8-2436	24x36	12.25	10.90	10.00	9.45	9.25
STB8-3040	30x40	16.95	15.25	13.85	13.10	12.80

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Gatorfoam 3/16"

This is 3/16" thick black Gatorfoam coated with our Cold-Mount® One White Adhesive on the front. Sealed with a plastic coating on the back, this board is warp free. With a black cross section this board is ideal for display presentation of larger prints and graphics.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
GFB0405	4x5	0.64	0.60	0.55	0.50	0.47
GFB0507	5x7	1.05	0.95	0.85	0.80	0.78
GFB0810	8x10	1.90	1.65	1.55	1.45	1.41
GFB0812	8x12	2.45	2.17	2.00	1.90	1.85
GFB08511	8.5x11	2.97	2.65	2.45	2.35	2.30
GFB1013	10x13	3.25	3.00	2.80	2.65	2.60
GFB1114	11x14	3.75	3.29	3.10	2.95	2.85
GFB1117	11x17	4.45	4.00	3.60	3.45	3.40
GFB1218	12x18	5.75	5.10	4.65	4.40	4.35
GFB1620	16x20	8.30	7.40	6.80	6.35	6.25
GFB1624	16x24	8.35	7.55	6.90	6.80	6.35
GFB2024	20x24	11.95	10.60	9.80	9.20	8.95
GFB2030	20x30	13.25	11.95	10.90	10.20	10.10
GFB2430	24x30	15.90	14.30	13.00	12.20	11.98
GFB2436	24x36	19.10	16.85	15.65	14.70	14.30
GFB3040	30x40	26.40	23.60	21.75	20.40	19.95
GFB3240	32x40	28.60	25.25	23.60	22.25	21.95
GFB3648	36x48	41.35	33.75	31.00	29.15	28.65
GFB4060	40x60	51.80	46.40	42.25	40.00	39.25
GFB4896	48x96	109.00	97.50	89.00	83.75	82.15

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Gatorfoam 1/2"

This is 1/2" thick black Gatorfoam coated with our Cold-Mount® One White Adhesive on the front. Sealed with a plastic coating on the back, this board is warp free. With a black cross section this board is ideal for display presentation of larger prints and graphics.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
GFD0405	4x5	0.69	0.65	0.55	0.52	0.51
GFD0507	5x7	1.17	1.05	0.95	0.90	0.88
GFD0810	8x10	2.17	1.90	1.75	1.70	1.65
GFD0812	8x12	2.85	2.55	2.35	2.20	2.15
GFD08511	8.5x11	3.45	3.10	2.80	2.65	2.60
GFD1013	10x13	4.15	3.70	3.40	3.20	3.15
GFD1114	11x14	4.60	4.10	3.70	3.50	3.45
GFD1117	11x17	5.20	4.65	4.25	4.05	3.95
GFD1218	12x18	6.65	5.95	5.45	5.10	5.05
GFD1620	16x20	9.60	8.60	7.85	7.40	7.30
GFD1624	16x24	11.25	10.30	9.40	8.90	8.75
GFD2024	20x24	13.80	12.35	11.30	10.65	10.45
GFD2030	20x30	15.40	13.80	12.60	11.95	11.75
GFD2430	24x30	19.10	17.25	15.75	14.80	14.55
GFD2436	24x36	22.65	20.15	18.50	17.45	17.10
GFD3040	30x40	32.25	28.80	26.25	24.80	24.30
GFD3240	32x40	38.25	34.35	31.30	29.50	29.00
GFD3648	36x48	45.30	40.45	36.95	34.90	34.25
GFD4060	40x60	69.50	62.00	56.75	53.50	52.75
GFD4896	48x96	147.00	131.50	120.30	113.50	111.30

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Hardboard 1/8"

Hardboard is a 1/8" thick wood product with two smooth tempered surfaces. Both smooth and heavy, it provides a substantial "feel". It is extremely durable. If cutting is required we recommend using a high speed power saw.

Item Num	Size	1-39/ea	40-59/ea	60-119/ea	120-479/ea	480-999/ea	Qty/Ctn
HB0405	4x5	0.37	0.31	0.29	0.27	0.26	160
HB0507	5x7	0.58	0.52	0.48	0.45	0.43	160
HB0810	8x10	1.06	0.95	0.90	0.81	0.80	80
HB0812	8x12	1.38	1.27	1.17	1.11	1.05	100
HB08511	8.5x11	1.70	1.50	1.38	1.35	1.30	40
HB1013	10x13	2.01	1.75	1.65	1.55	1.50	40
HB1114	11x14	2.23	1.96	1.85	1.70	1.66	40
HB1117	11x17	2.54	2.28	2.12	2.00	1.96	20
HB1218	12x18	3.17	2.92	2.60	2.50	2.45	20
HB1620	16x20	4.30	3.87	3.55	3.40	3.30	20
HB1624	16x24	4.56	4.08	3.70	3.50	3.45	20
HB2024	20x24	6.45	5.83	5.45	5.20	5.05	20

Item Num	Size	1-29/ea	30-59/ea	60-119/ea	120-479/ea	480-999/ea	Qty/Ctn
HB2030	20x30	8.10	7.25	6.80	6.25	6.10	15
HB2430	24x30	9.70	8.65	7.95	7.55	7.30	15
HB2436	24x36	11.65	10.35	9.45	9.00	8.80	15
HB3040	30x40	16.22	14.45	13.25	12.45	12.20	15
HB3648	36x48	23.20	20.70	18.95	17.95	17.50	15
HB4060	40x60	32.35	28.90	26.50	24.95	24.40	15
HB4896	48x96	74.20	66.80	60.50	56.98	55.65	15

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

White codaFoam 1/4"

codaFoam® is a proprietary foam centered board that is coated on both sides with a tough snow white plastic shell. Stiffer than standard foam core, it is completely sealed and cannot absorb moisture. Changes in humidity will not cause codaFoam® to warp.

Item Num	Size	1-19/ea	20-39/ea	40-99/ea	100-499/ea	500-999/ea
CFC0405	4x5	0.44	0.39	0.36	0.34	0.33
CFC0507	5x7	0.73	0.65	0.59	0.56	0.55
CFC0810	8x10	1.37	1.22	1.12	1.05	1.03
CFC0812	8x12	1.78	1.59	1.45	1.37	1.35
CFC08511	8.5x11	2.17	1.95	1.77	1.67	1.65
CFC1013	10x13	2.45	2.20	1.98	1.89	1.85
CFC1114	11x14	2.71	2.42	2.20	2.10	2.05
CFC1117	11x17	3.28	2.92	2.68	2.52	2.47
CFC1218	12x18	4.17	3.72	3.40	3.20	3.15
CFC1620	16x20	5.58	4.97	4.55	4.30	4.20
CFC1624	16x24	5.75	5.15	4.70	4.40	4.35
CFC2024	20x24	8.05	7.20	6.60	6.25	6.10
CFC2030	20x30	9.20	8.20	7.45	7.05	6.90
CFC2430	24x30	10.70	9.55	8.75	8.25	8.10
CFC2436	24x36	13.55	12.10	11.05	10.45	10.20
CFC3040	30x40	19.10	17.00	15.55	14.70	14.40
CFC3240	32x40	23.80	21.30	19.45	18.40	18.00
CFC3648	36x48	27.10	24.20	22.10	20.85	20.45
CFC4060	40x60	38.15	34.05	31.10	29.35	28.75
CFC4896	48x96	66.95	59.75	54.60	51.50	50.50

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Foam Core 3/16"

This is standard 3/16" thick foam core mount. Lightweight and very easy to trim, it is suitable for mounting small and large prints. Fairly soft and easy to compress, it is more fragile than other mount boards in the Cold-Mount® line.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
FCB0405	4 x 5	0.21	0.19	0.17	0.16	0.15
FCB0507	5 x 7	0.35	0.31	0.29	0.27	0.26
FCB0810	8 x 10	0.66	0.59	0.54	0.51	0.48
FCB0812	8 x 12	0.87	0.74	0.71	0.67	0.64
FCB08511	8½ x 11	1.13	1.01	0.92	0.87	0.83
FCB1114	11 x 14	1.44	1.29	1.18	1.11	1.05
FCB1117	11 x 17	1.72	1.53	1.40	1.32	1.25
FCB1218	12 x 18	2.18	1.95	1.78	1.68	1.60
FCB1620	16 x 20	3.16	2.82	2.58	2.43	2.31
FCB1624	16 x 24	3.33	2.97	2.71	2.56	2.43
FCB2024	20 x 24	4.75	4.23	3.87	3.65	3.47
FCB2030	20 x 30	5.19	4.63	4.23	3.99	3.79
FCB2430	24 x 30	6.21	5.54	5.07	4.78	4.54
FCB2436	24 x 36	7.46	6.66	6.08	5.74	5.45
FCB3040	30 x 40	10.36	9.25	8.45	7.97	7.57
FCB4060	40 x 60	20.74	18.50	16.91	15.95	15.15
FCB4896	48 x 96	36.80	32.84	30.01	28.31	26.89

Pressure Sensitive Adhesive Coated

Foam Core 1/8"

This is a thin 1/8" thick foam core mount. It is extremely lightweight and very easy to trim. It is suitable for mounting small and large prints. Slightly more fragile than Foam Core 3/16" thick, it is suitable in applications where a print must be inserted in a frame or molding with limited clearance.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
FCA0405	4 x 5	0.22	0.20	0.18	0.17	0.16
FCA0507	5 x 7	0.36	0.32	0.30	0.28	0.27
FCA0810	8 x 10	0.70	0.63	0.57	0.54	0.51
FCA0812	8 x 12	0.91	0.81	0.74	0.70	0.67
FCA1114	11 x 14	1.48	1.32	1.21	1.14	1.08
FCA1117	11 x 17	1.79	1.60	1.46	1.38	1.31
FCA1218	12 x 18	2.29	2.04	1.87	1.76	1.67
FCA1620	16 x 20	3.32	2.96	2.70	2.55	2.42
FCA1624	16 x 24	3.48	3.11	2.84	2.68	2.55
FCA2024	20 x 24	4.98	4.44	4.06	3.83	3.64
FCA2030	20 x 30	5.43	4.85	4.43	4.18	3.97
FCA2430	24 x 30	6.53	5.82	5.32	5.02	4.77
FCA2436	24 x 36	7.83	6.98	6.38	6.02	5.72
FCA3040	30 x 40	10.87	9.70	8.86	8.36	7.94

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated

Single Weight

This is a 40 point (approximately 1/16" thick) cardboard mount. It is suitable for mounting smaller prints. Because it is a fiber based board it is affected by changes in moisture content and may warp or bow in larger sizes or in situations where there may be large changes in humidity. This board is not available in sizes larger than 20"x24".

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
SW0405	4 x 5	0.13	0.12	0.11	0.10	0.10
SW0507	5 x 7	0.22	0.20	0.18	0.17	0.16
SW0810	8 x 10	0.43	0.38	0.35	0.33	0.31
SW0812	8 x 12	0.56	0.50	0.46	0.43	0.41
SW08511	8½ x 11	0.68	0.60	0.55	0.52	0.49
SW1114	11 x 14	0.83	0.74	0.68	0.64	0.61
SW1117	11 x 17	1.01	0.90	0.83	0.78	0.74
SW1218	12 x 18	1.29	1.15	1.05	0.99	0.94
SW1620	16 x 20	1.68	1.50	1.37	1.29	1.23
SW1624	16 x 24	1.86	1.66	1.52	1.43	1.36
SW2024	20 x 24	2.67	2.38	2.17	2.05	1.95

Pressure Sensitive Adhesive Coated

Double Weight

This is an 80 point (approximately 1/8" thick) cardboard mount. It is suitable for mounting smaller prints. Because it is a fiber based board it is affected by changes in moisture content and may warp or bow in larger sizes or in situations where there may be large changes in humidity. This board is not available in sizes larger than 20" x 24".

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
DW0405	4 x 5	0.20	0.17	0.16	0.15	0.14
DW0507	5 x 7	0.33	0.29	0.27	0.25	0.24
DW0810	8 x 10	0.62	0.56	0.51	0.48	0.46
DW0812	8 x 12	0.81	0.72	0.66	0.62	0.59
DW08511	8½ x 11	0.98	0.87	0.80	0.75	0.71
DW1114	11 x 14	1.22	1.09	1.00	0.94	0.89
DW1117	11 x 17	1.48	1.32	1.21	1.14	1.08
DW1218	12 x 18	1.89	1.68	1.54	1.45	1.38
DW1624	16 x 24	2.73	2.44	2.23	2.10	2.00
DW2024	20 x 24	3.90	3.48	3.18	3.00	2.85

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com

Cold-Mount® Adhesive Coated Boards

Pressure Sensitive Adhesive Coated* **Single Weight Black*

This is a 40 point (about 1/16" thick) black cardboard mount. It is suitable for mounting smaller prints. Because it is a fiber based board it is affected by changes in moisture content and may warp or bow in larger sizes or in situations where there are large changes in humidity.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
SWB0405	4 x 5	0.13	0.12	0.11	0.10	0.10
SWB0507	5 x 7	0.22	0.20	0.18	0.17	0.16
SWB0810	8 x 10	0.43	0.38	0.35	0.33	0.31
SWB0812	8 x 12	0.56	0.50	0.46	0.43	0.41
SWB08511	8½ x 11	0.68	0.60	0.55	0.52	0.49
SWB1114	11 x 14	0.83	0.74	0.68	0.64	0.61
SWB1117	11 x 17	1.01	0.90	0.83	0.78	0.74
SWB1218	12 x 18	1.29	1.15	1.05	0.99	0.94
SWB1620	16 x 20	1.68	1.50	1.37	1.29	1.23
SWB1624	16 x 24	1.86	1.66	1.52	1.43	1.36
SWB2024	20 x 24	2.67	2.38	2.17	2.05	1.95

Pressure Sensitive Adhesive Coated* **Double Weight Black*

This is an 80 point (about 1/8" thick) black cardboard mount. It is suitable for mounting smaller prints. Because it is a fiber based board it is affected by changes in moisture content and may warp or bow in larger sizes or in situations where there are large changes in humidity.

Item Num	Size	1-24/ea	25-49/ea	50-99/ea	100-499/ea	500-999/ea
DWB0405	4 x 5	0.20	0.17	0.16	0.15	0.14
DWB0507	5 x 7	0.33	0.29	0.27	0.25	0.24
DWB0810	8 x 10	0.62	0.56	0.51	0.48	0.46
DWB0812	8 x 12	0.81	0.72	0.66	0.62	0.59
DWB08511	8½ x 11	0.98	0.87	0.80	0.75	0.71
DWB1114	11 x 14	1.22	1.09	1.00	0.94	0.89
DWB1117	11 x 17	1.48	1.32	1.21	1.14	1.08
DWB1218	12 x 18	1.89	1.68	1.54	1.45	1.38
DWB1620	16 x 20	2.60	2.32	2.12	2.00	1.90
DWB1624	16 x 24	2.73	2.44	2.23	2.10	2.00

Coda, Inc. • 30 Industrial Avenue • Mahwah, NJ 07430-2207
 Phone: 201/825-7400 • Fax: 201/825-8133 • www.codamount.com